

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 10,30	TIME OUT
PAGE / of	2

NEXT R	ON AN I	INSPEC	CTION, OR SUCH SHORTER PE	RIOD OF TIM	ME AS M	AY BE	SPEC	IFIED	IN WR	ITING BY T	THE REGUL	LATORY AUTHORITY. FAILUR			THE .
		MENT N	FOR CORRECTIONS SPECIFIE	OWNER		IAY RE	SULI	11			UR FOOD (PERSON IN CHARGE:			
		Lan	Winery LLC	Lor	othe	1/6	Duy	1-10	nin	nan		Bonne Hemi	ian		
ADDR	ESS:	130	22 Hwy C			1						COUNTY: 157			
CITY	ZIP:	2	eau 63737	PHONE 573	824.	604	10	FAX	_			P.H. PRIORITY : D	н 🗆 м	Ď.L	
□В	ISHMEN AKERY ESTAU		C. STORE CATERE		DEI SUM		F.P.		GROC	ERY STOR		INSTITUTION MOE	BILE VEN	IDORS	V.
PURPO:	sE re-open	ing	Routine Follow-up	☐ Comple	aint [] Oth	ner								
□Appr	oved [SSERT Disappr	oved (Not Applicable	SEWAGE PUBLI PRIVA	IC	SAL				JPPLY IUNITY		DN-COMMUNITY DE P	RIVATE Results	Pend	Col
				RIS	SK FAC	TORS	AND	INTE	RVEN	NTIONS		* Satisfactory			4
			preparation practices and employe												,
Complia		ss outbre	eaks. Public health interventions Demonstration of Kr		measure	s to pre			me ilin		y.	Potentially Hazardous Foods	WAY COST	cos	R
IN OL	2310022		Person in charge present, demo		wledge,					N/O N/A	Proper co	ooking, time and temperature		000	1.00
			and performs duties Employee Hea	-title				INI	OUT	N/O N/A	December	L	11		
(N) OL	IT		Management awareness; policy				-			N/O N/A		eheating procedures for hot hold poling time and temperatures	ing		-
IN OL			Proper use of reporting, restriction		sion	1				N/O N/A		ot holding temperatures			-
0		1	Good Hygienic Pr	actices				(N	OUT	N/A		old holding temperatures			
IN OL	IT N/O	1	Proper eating, tasting, drinking of No discharge from eyes, nose a		е					N/O N/A		ate marking and disposition			
114 00	1110	1	No discharge from eyes, nose a	na moutn				IIN	001	N/O N/A	records)	a public health control (procedur	es/		
0			Preventing Contaminati								Jersell .	Consumer Advisory			
IN DU	IT N/O		Hands clean and properly wash	ed				IN	OUT	N/A	Consume	er advisory provided for raw or			
IN OU	T NO)	No bare hand contact with ready	-to-eat foods	or			1			CONTRACTOR OF THE PERSON NAMED IN COLUMN 2	Highly Susceptible Populations	TV T		
(IN OU	Т			approved alternate method properly followed Adequate handwashing facilities supplied &		-	-	IN	OUT	N/O N/A	Pasteuriz	ed foods used, prohibited foods	not	-	-
0			accessible Approved Sou	tro				0			offered	Chemical	Company of the		
IN OU	T		Food obtained from approved so		Dig Filter			IN	OUT	N/A	Food add	itives: approved and properly us	bas		-
	T NO	N/A	Food received at proper temperature						OUT	14/74		stances properly identified, stor			_
(INL OU	T -		F								used				
IN OU	T N/O	N/A	Food in good condition, safe and Required records available: shell	letock tage o	ed	-	-	INI	OUT	NIA		ormance with Approved Procedu			
	1 14/0	(m)	destruction	istock tags, p	arasite			1114	001	N(A)	and HAC	ce with approved Specialized P CP plan	ocess		
161			Protection from Cont	amination				The	letter	to the left o	f each item	indicates that item's status at th	a time of	the	
IN OU		N/A	Food separated and protected						ection		odon nom	indicates that item's status at th	e une or	uie	
NO OU		N/A	Food-contact surfaces cleaned &	& sanitized				١,		n compliand		OUT = not in compliance			
IN ON	T N/O		Proper disposition of returned, p reconditioned, and unsafe food	reviously serv	ved,					ot applicabl orrected Or		N/O = not observed R = Repeat Item			
FOR STREET	Series V		Teconationed, and distance lood		GO	OD RE	ETAIL F	PRACT	TICES	STORAGE SA				W. Duries	SECTION 1
			Good Retail Practices are prevent	ative measur						hogens, ch	emicals, an	d physical objects into foods.	Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, whic		
IN	OUT		Safe Food and Water			cos	R	IN	OUT		Pro	oper Use of Utensils	Control (cos	R
			urized eggs used where required and ice from approved source									perly stored	- 1		
		Tutol	and too from approved soulde							handled		t and linens: properly stored, dri	30,		
			Food Temperature Cont		19,55					Single-u	se/single-se	ervice articles: properly stored, u	ised		
			ate equipment for temperature co ved thawing methods used	ntrol						Gloves	used proper		- Constitution		
			ometers provided and accurate			116-77				Food an	d nonfood-	Equipment and Vending contact surfaces cleanable, prop	erly		-
		The second								designed	d, construct	ed, and used			
Food Identification							Warewa strips us		ies: installed, maintained, used;	test					
Food properly labeled; original container							-contact su	rfaces clean							
		Insects	Prevention of Food Contami s, rodents, and animals not presen							Untrad		Physical Facilities			
			mination prevented during food pre		rage							available; adequate pressure proper backflow devices			
		and dis									E	water properly disposed			
		fingern	nails and jewelry	ar nun rosual						- T.					
			cloths: properly used and stored and vegetables washed before us	0								erly constructed, supplied, clear perly disposed; facilities maintai			
												stalled, maintained, and clean	icu		
Person	in Ch	arge /Ti	ile: telmma	()							Da	nte: 5/1/18			
Inspec	tor:	the	Doi to		Teleph	one N	10.	.1		EPHS No		llow-up:	, 0	K, No	
MO 580-11	314 (11-14)	Jan	and the same	DISTRIBUTION		OWNED	O D (7		144	2 Fo	Illow-up Date: Cub-for	resu	1/5	

RIS COPY CANARY-FILE COPY PENding



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	30	TIME OUT
PAGE	2 of	2

ESTABLISHMEN	N Wikery, LLC	ADDRESS (3022 Hu	IXI C.	Braceau	63737	
FOO	OD PRODUCT// OCATION	TEMP.	FOOD PRODUCT/		TEMP.	_
ambient	out Kether Repup	40F	2 (1994) 1994 (1994) 1894 (1994) 1894 (1994) 1894 (1994) 1894 (1994) 1894 (1994) 1894 (1994) 1894 (1994) 1894	7		
	act laces day	101				
Code Reference	Priority items contribute directly to the elir	nination, prevention or redu	ITY ITEMS uction to an acceptable level, hazards a	ssociated with foodborne illness	Correct by In (date)	nitial
	or injury. These items MUST RECEIVE I	MMEDIATE ACTION with	in 72 hours or as stated.			
	(4 -	. ,		The state of the s		
	no prouty	peters at	time of insp	ection		
	, (/	0			
						_
6						-
						-
						-
						
Code Reference	Core items relate to general sanitation or	COR	EITEMS	ral maintenance or sanitation		tial
Code Reference	Core items relate to general sanitation, of standard operating procedures (SSOPs)	perational controls, facilities These items are to be co	s or structures, equipment design, gene prrected by the next regular inspection		Correct by Init	itial
	front edge 2 door 1	perational controls, facilities These items are to be co	EITEMS s or structures, equipment design, gene prrected by the next regular inspection d. along bottom (all)			itial
		perational controls, facilities These items are to be co	s or structures, equipment design, gene prrected by the next regular inspection			itial
Reference 4 Louis II C	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 Louis II C	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 Louis II C	Gearable.	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 Louis II C	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 Louis II C	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 Louis II C	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 told 110	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 Louis II C	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 Louis II C	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 Louis II C	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 told 110	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
Reference 4 Louis II C	frod edge 2 door 1	perational controls, facilities These items are to be co	s or structures, equipment design, gene prected by the next regular inspection d. along bottom inter-	ion , get		itial
4-laol.110	Poor Seal on I door of cleanable. Loon Seal on I door work the arable	cooler taped	sor structures, equipment design, gene prected by the next regular inspection d. along bottom inter- on by t side of bottom	don		itial
4-laol.110	frod edge 2 door 1	cooler faped	s or structures, equipment design, gene prected by the next regular inspection d. along boltom inter-	don		itial
4-laol.110	Poor Seal on I door of cleanable. Loon Seal on I door work the arable	cooler faped	sor structures, equipment design, gene prected by the next regular inspection d. along bottom inter- on by t side of bottom	don		itial
4-laol.110	o food leeng f	cooler faped	sor structures, equipment design, gene prected by the next regular inspection d. along bottom inter- on by t side of bottom	don John L		itial
# 10 X 10	o food living p	cooler faped	ROVIDED OR COMMENTS	don Just	(date)	No