

## MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME OUT
PAGE / of of	2

W	EXIKUL	JIINE	INSPEC	TION THIS DAY, THE ITEMS NOT CTION, OR SUCH SHORTER PEI FOR CORRECTIONS SPECIFIE	RIOD OF TIME	AS MA	Y BE S	SPECI	FIED IN	I WRIT	ING BY T	HE REG	III ATORY ALITHORITY	ST BE CORRE	COMP	BY TH	E
i	ESTABL	ISHM	ENTI	IAME:	OWNER:							JR FOOI	PERSON IN CH		1		
N	ADDRES	rde	es	11 (11	Larg	tees	10	ext	Dez	all M	Ka)		COUNTY:	Schrem			
	(Extension means)		11 +	Serghighway	BUONE				= 1 1/				157	1 '			
	CITY/ZIF	re	TYPE	ille 63775	PHONE:	505	12		FAX:				P.H. PRIORITY	· DHD	М	L	
	BAK RES	KERY STAUR		☐ C. STORE ☐ CATERE ☐ SCHOOL ☐ SENIOR	R CENTER	DELI	MER F.	P.		ROCE	RY STOR		INSTITUTION TEMP.FOOD	☐ MOBILE V	ENDOR	RS	H
	PURPOSE Pre-	-openin		☐ Routine ☐ Follow-up	☐ Complain		] Othe	r									
	FROZEN Approv License N	ed 🗆		oved Not Applicable	SEWAGE DI PUBLIC PRIVATI	E		k	WATE C	OMMU	NITY		NON-COMMUNITY Date Sampled	☐ PRIVA Result			
							ORS A	Separate Sep		No. of Lot, House, etc., in case, the case, th	Control of the last						
	Risk facto foodborne	ors are	food p	reparation practices and employed	e behaviors mos are control me	st comi	monly re to prev	eporte ent fo	d to the	e Cente e illnes	ers for Dis	ease Cor	ntrol and Prevention as	contributing factor	ors in		
100	Compliance			Demonstration of Kn	owledge		cos	R	Com	pliance			Potentially Hazardous	AND ADDRESS OF THE OWNER, THE PARTY OF THE P	CC	OS	R
	OUT			Person in charge present, demo- and performs duties	nstrates knowle	age,				-	/O' N/A		cooking, time and tempor				
-	IN OUT			Employee Hea Management awareness; policy	And the second second second			-		100	O N/A		reheating procedures for cooling time and temper			-	
	N) OUT			Proper use of reporting, restriction	on and exclusion	n			IN C	UT N	(Q) N/A	Proper	hot holding temperature	s			
	IN OUT	N/O		Good Hygienic Proper eating, tasting, drinking of		WE!				DUT N	N/A /O N/A		cold holding temperatur date marking and dispo			-	-
	IN) OUT			No discharge from eyes, nose a				(			/O N/A	Time a	s a public health control				
				Preventing Contamination	on by Hands	02.0			_		0	records	Consumer Advis	sory			
	IN OUT	N/O		Hands clean and properly washe					IN C	DUT	(N/A		mer advisory provided fo ooked food	or raw or			
	IN OUT	N/O		No bare hand contact with ready		r						diadio	Highly Susceptible Po	pulations			
-	IN OUT			approved alternate method prop Adequate handwashing facilities					IN C	N TUC	/O N/A	Pasteu	rized foods used, prohib	ited foods not			
L	7			accessible Approved Sou	rce							Ollered	Chemical				
-	IN OUT			Food obtained from approved so	ource				(IN)		N/A		idditives: approved and probabilities		d		
	TUO NI	N/O) 1	N/A	Food received at proper tempera	ature				⊕ c	100		Toxic substances properly identified, stored and used					
	IN OUT			Food in good condition, safe and					IN C	TIL	Conformance with Approved Procedures  N/A  Compliance with approved Specialized Process			S	-	-	
-	IN OUT	N/O I	V/A	Required records available: she destruction  Protection from Cont	1010 84 977	asite						and HA	ACCP plan				
F	IN OUT	1	N/A	Food separated and protected	amination					etter to	the left o	f each ite	em indicates that item's	status at the time	e of the		
	IN OUT		I/A	Food-contact surfaces cleaned	& sanitized			+		N = in	compliand		OUT = not in co				
r	IN) OUT		2000	Proper disposition of returned, p	reviously serve	d,					t applicable rrected Or		N/O = not obse R = Repeat Iten				
Ļ				reconditioned, and unsafe food		GO	OD RE	TAILE	PRACT	ICES					115520		
ŀ	WEST COLUMN		and the same of	Good Retail Practices are preven	tative measures						ogens, ch	emicals,	and physical objects int	o foods.			
t	IN	OUT		Safe Food and Water			cos	R	IN	OUT			Proper Use of Utensils		cos	R	
F	-			urized eggs used where required and ice from approved source							Utensils	, equipm	properly stored nent and linens: properly	stored, dried,			
L	-		vvalo						1		handled		e-service articles: proper	rly stored used	-	+	
-	1		Adequ	Food Temperature Con uate equipment for temperature co					V			used pro		ny stored, used			
1	~		Appro	oved thawing methods used							East.	Uten	sils, Equipment and Ven od-contact surfaces clea	nding			
	V		Thern	nometers provided and accurate					~		designe	d. consti	ructed, and used cilities: installed, mainta			+	
				Food Identification					V		strips us	sed	t surfaces clean	ineu, useu, test	-	+	_
ŀ	1		Food	properly labeled; original container  Prevention of Food Container					V		Nonioo	u-contac	Physical Facilities				
İ	-		Insec	ts, rodents, and animals not prese	ent				V				ter available; adequate			+	
	V		and d	amination prevented during food p lisplay		1			V		1645/140/05/05	•	ed; proper backflow dev				
	V		finger	onal cleanliness: clean outer clothi mails and jewelry	7.0	it,			1		1000000000		stewater properly dispos				- 120
-	V,		Wipin	g cloths: properly used and stored and vegetables washed before u	se				V		Garbag	e/refuse	properly constructed, sur properly disposed; facili	ties maintained			
l			Tiuits	and regulation Habited before the					V		Physica	al facilitie	s installed, maintained, a	and clean			
	Person	in Ch	arge /	Title:									Date: 4/27/	118			
1	Inspect	or:	His	Coint		Teleph	none N	lo.	1		EPHS N	lo.	Follow-up: [Follow-up Date:	□ Yes		No	
L		C.	XU	les Cupies	DIGENERAL PROPERTY OF THE PROP	57	1, (p.	56 COP	T		CANADY	II E CORV	i ollow-up Date.	NIF	_	E	6.37



## MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	5	TIME OUT
DACE	77.06	2

ESTABLISHMEN	A. A. C.	ADDRESS			Perryo	.11	ZIP	
	DD PRODUCT/LOCATION	TEMP. FOOD PRODUCT/LOCATION				1/2	63775 TEMP.	
FOI	OD PRODUCT/LOCATION	TEMP.		OOD PRODUCT/	LOCATION		IEM	Ρ.
							/	
Code Reference	Priority items contribute directly to the elir		ORITY ITEMS	oble level hazards o	secolated with fo	odhoma iliness	Correct by (date)	Initial
recipione	or injury. These items MUST RECEIVE I	MMEDIATE ACTION W	ithin 72 hours or as	stated.	SSOCIEITS WILL TO	OUDDITIE MITESS	(date)	
	Breviou y	Dipite of	tema CAR	socitors				
	Cycliff of	- T						
	at this	time						
			_te_			7		
Code Reference	Core items relate to general sanitation, or standard operating procedures (SSOPs)	perational controls, facili	ORE ITEMS titles or structures, equ	ipment design, gene	ral maintenance	or sanitation	Correct by (date)	Initial
	standard operating procedures (SSOPs).	perational controls, facili These items are to be	ities or structures, eque corrected by the ne	ext regular inspection	on or as stated.			Initial
Reference	Chipped, Missing a	perational controls, facili These items are to be	ities or structures, eques corrected by the new floor House	ext regular inspection	tchen c	rea	(date)	Initial
Reference	Chipped, Missing a	perational controls, facili These items are to be	ities or structures, eques corrected by the new floor House	ext regular inspection	tchen c	rea	(date)	Initial
Reference 6-501.11	Chipped, Missing a Wall flakery off Wir Coolar along wall	berational controls, facility These items are to be Leas of tile  Chimology ac  Liftoon jui	e corrected by the ne follow throat	ext regular inspection with the floor. In le	tchen c	rea	(date)	Initial
Reference 6-501.11	Chipped, Missing a	berational controls, facility These items are to be Leas of tile  Chimology ac  Liftoon jui	e corrected by the ne follow throat	ext regular inspection with the floor. In le	tchen c	rea	(date)	Initial
Reference 6-501.11	Chipped, Missing a Wall flakery off Wir Coolar along wall	berational controls, facility These items are to be Leas of tile  Chimology ac  Liftoon jui	e corrected by the ne follow throat	ext regular inspection with the floor. In le	tchen c	rea	(date)  NRT  NRT	Initial
Reference 6-501.11	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	perational controls, facility These items are to be ueas of tile  the molday are Lifton jur unt have the	titles or structures, eque a corrected by the ne floor throat soas on to action a fitter	ext regular inspection up out the floor. In lo	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	berational controls, facility These items are to be Leas of tile  Chimology ac  Liftoon jui	titles or structures, eque a corrected by the ne floor throat soas on to action a fitter	ext regular inspection up out the floor. In lo	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	perational controls, facility These items are to be ueas of tile  the molday are Lifton jur unt have the	titles or structures, eque a corrected by the ne floor throat soas on to action a fitter	ext regular inspection up out the floor. In lo	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference 6-501.11	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	perational controls, facility These items are to be ueas of tile  the molday are Lifton jur unt have the	titles or structures, eque a corrected by the ne floor throat soas on to action a fitter	ext regular inspection up out the floor. In lo	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	perational controls, facility These items are to be ueas of tile  the molday are Lifton jur unt have the	titles or structures, eque a corrected by the ne floor throat soas on to action a fitter	ext regular inspection up out the floor. In lo	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	perational controls, facility These items are to be ueas of tile  the molday are Lifton jur unt have the	titles or structures, eque a corrected by the ne floor throat soas on to action a fitter	ext regular inspection up out the floor. In lo	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	perational controls, facility These items are to be ueas of tile  the molday are Lifton jur unt have the	titles or structures, eque a corrected by the ne floor throat soas on to action a fitter	ext regular inspection up out the floor. In lo	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	perational controls, facility These items are to be ueas of tile  the molday are Lifton jur unt have the	titles or structures, eque a corrected by the ne floor throat soas on to action a fitter	ext regular inspection up out the floor. In lo	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	erational controls, facility These items are to be uas of tile  blimblely are liften jue ut have tre e stems)	titles or structures, eque a corrected by the ne floor throat soas on to action a fitter	extregular inspection and out the floor to be	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference	Chipped, Missing a (Wall flakery off Livin Cooler, along wall (A) Dempster does h	erational controls, facility These items are to be uas of tile  blimblely are liften jue ut have tre e stems)	e corrected by the ne glove throat cas on to action  glot-fitter  Corrected by the ne	extregular inspection and out the floor to be	stated. Schen C	rea	(date)  NRT  NRT	Initial
Reference 10-501.11 12-501.15	Chipped, Missing a Wall flakery off (wir Cooler alongs wall (A) Demyster does h	erational controls, facility These items are to be uas of tile  blimblely are liften jue ut have tre e stems)	e corrected by the ne glove throat cas on to action  glot-fitter  Corrected by the ne	extregular inspection and out the floor to be	tchen (	nekes	(date)  NRT  NRT	Initial
Reference 6-501.11	Chipped, Missing a Wall flakery off (wir Cooler alongs wall (A) Demyster does h	erational controls, facility These items are to be uas of tile  blimblely are liften jue ut have tre e stems)	e corrected by the ne glove throat cas on to action  glot-fitter  Corrected by the ne	extregular inspection and out the floor to be	stated. Schen C	nekes	(date)  NRT  NRT	Initial
Reference  10-501.11  12-501.15  5-501.15	Chipped, Missing a Wall flakery off (wir Cooler alongs wall (A) Demyster does h	erational controls, facility These items are to be reas of tile  the molday are controls  the floor just  ent have to  entermy)  EDUCATION	e corrected by the ne glove throat cas on to action  glot-fitter  Corrected by the ne	extregular inspection and out the floor to be	Date:	210a (127/1.	(date)  NRT  NRT  NRT	Initial